

12


the market
leader

1



consider the **possibilities**

writable | projectable | eraseable | decorative



dry erase presentation wallcoverings
월토커 매직 스크린



www.novatec21.co.kr

why walltalker? consider the possibilities.

walltalker dry erase presentation wallcoverings:

THE ORIGINAL & STILL THE BEST walltalkers invented dry erase wallcoverings over 15years ago. Since that time, we have consistently provided a wide variety of presentation surfaces that perform to the highest standards and really last. Because we pioneered the technology, we have also been able to anticipate customer needs, develop innovative products, and perfect each step of the manufacturing process. The result is a full range of presentation surfaces that are distinctly superior to anything on the market.

walltalker
1 the marker leader

highest quality with superior durability

Dupont Teflon®은 NASA 우주탐사에 사용되는 최첨단 소재로 탁월한 내구성과 오염 내성을 가진 고품질 소재 입니다. 월토커 매직스크린은 테플론 표면이기 때문에 매일 사용해도 항상 새것 같은 "better-look" 제품 입니다.



cutting-edge technology

Dupont Teflon® 라미네이팅 제조 공정과 엄격한 품질 관리로 제조되기 때문에 "crack, chipping, discolor" 불량이 전혀 없으며, 오래 사용해도 표면 변색이 없는 "longer-lasting" 제품입니다.



multi-performance

사용 용도에 따라 다양한 제품군을 멀티기능으로 결합 할 수 있습니다. "프로젝트 스크린, 데코레이션 칼라, 화이트보드, 자석, 디지털 프린팅, "전자칠판" 등 "space & money save" 제품 입니다.

wallcovering install

"도배 방식"으로 설치가 간편하며 "free size" 사양으로 설치크기 제한이 없습니다. 벽전면(floor-to-ceiling), 벽일부, 규격 사이즈 등

exceptional warranty

3년 보증합니다.


low emissions

포름알데히드, 휘발성유기물(voc), 중금속 방출 기준인 IAQ pass
Meet California Indoor Air Quality Specification 01350.



proven reliability

글로벌 표준 재료규격(ASTM), 화재안전(NFPA),
친환경 인정(GREENGUARD, EURO CE)



consider the possibilities

www.novatec21.co.kr
call: 02.573.2450

projection screen products

nu·vu·rite™

Writable Embossing Screen



미국 듀폰 테플론 소재, 플랫 글로시 표면의 "고품질 스크린 겸용 화이트보드" 입니다.
특허인 "bi-directional lenticular embossed surface" 는 고화질 스크린특성을 가지며
벽전면(Full-wall)을 스크린으로 사용 할때는 빔 프로젝트를 여러대 투사 할 수 있습니다.
프리 사이즈로 설치크기 제한이 없으며, 스크린 중심 회의실에 최적 입니다.



*Tip: 단조점 프로젝트 (short-thru-projector)사용시 최적 스크린 특성 가짐



Teflon® is registered trademark of DuPont
Walltalker dry erase products meet California Indoor Air Quality Specification 01350
Herein Product Protected Under US



consider the possibilities



www.novatec21.co.kr

projection screen products

erase·rite®

Writable Colorful Screen



미국 듀폰 테플론 로글로시 표면의 "스크린 겸용 칼라보드"입니다.
고화질 스크린 특성과 넓은 시야각을 가지며, 화이트보드처럼 편서 할 수 있습니다.
데코레이션 칼라 선택이 가능하며, 프리 사이즈로 벽전면(Full-wall)을 스크린으로 사용시
빔프로젝터 여러대 동시에 투사 할 수 있어 효과적인 프리젠테이션을 할 수 있습니다.

*Tip: 단초점 프로젝터 (short-throw-projector)사용시 최적 스크린 특성 가짐


Teflon® is registered trademark of DuPont
Walltalker dry erase products meet California Indoor Air Quality Specification 01350
Herein Product Protected Under US




00 white




03 white sand



05 off white



20 light beige



90 light gray



consider the possibilities

www.novatec21.co.kr

dry erase writing products

mag·rite®



No steel backing! Magnet attract



듀폰 테플론 소재, 스틸을 사용하지 않는 "벽지 컨셉" 자석 화이트보드입니다.
나노 파우더 기술로 가볍고 설치가 간단한 "프리 사이즈" 신제품입니다.
flexible 롤 (roll) 타입으로 석고면, 유리면 위에 간단히 설치 합니다.
디지털 프린팅 제품인 "mag.line, mag.rite.grid" 제품군이 있습니다.

Mag.rite can act as conductors of electricity due to ferrous content
Do not allow to contact with any exposed wires

Teflon® is registered trademark of DuPont
Walltalker dry erase products meet California Indoor Air Quality Specification 01350
Herein Product Protected Under US



consider the possibilities



www.novatec21.co.kr

dry erase writing products


just-rite®

Optimum Whiteboard



미국 듀퉁사 첨단 테플론 소재를 사용한, 미디움 글로시 "프리미엄 화이트보드" 입니다.
난반사가 없으며, 부드러운 판서와 뛰어난 지움성, 긴 내구성을 가집니다.
프리 사이즈로 벽 전면(Full-wall)을 화이트보드 공간으로 사용 할 수 있습니다.
반영구적인 디지털 프린팅 제품인 "just.rite. grid" 제품이 있습니다.

Teflon® is registered trademark of DuPont
Walltalker dry erase products meet California Indoor Air Quality Specification 01350
Herein Product Protected Under US



consider the possibilities



www.novatec21.co.kr

dry erase writing products

koro-rite®

Deco'r Color Board



미국 듀폰사 첨단 테플론 소재를 사용한, 하이 글로시 표면의 "칼라 화이트보드" 입니다.
 난반사가 없으며 부드러운 판서와 뛰어난 지움성, 긴 내구성을 가집니다.
 다양한 칼라 선택으로 모던 디자인 트렌드를 느낄수 있는 인테리어 보드 입니다.
 프리 사이즈로 벽 전면(Full-wall)을 "데코 화이트보드 공간" 으로 디자인 할 수 있습니다.

Teflon® is registered trademark of DuPont
 Walltalker dry erase products meet California Indoor Air Quality Specification 01350
 Herein Product Protected Under US



koro-rite®


koro-rite® metallics



00 white



03 white sand




05 off white




20 light beige




30 beige



90 light gray



94 silver thorn



57 light bronze



koro-rite® metallics application site



consider the possibilities



www.novatec21.co.kr

digital-printed products

learn·rite™

Three-Color-Lines

듀폰 테플론 소재, 하이 글로시 표면의 "pre-printed" 화이트보드입니다.
top line&middle 라인은 "light aqua", bottom 라인은 "light pink" 반영구적으로
지워지지 않으며 유닛 3-라인은 "learning to write" 나타 냅니다.

Teflon® is registered trademark of DuPont
Walltalker dry erase products meet California Indoor Air Quality Specification 01350
Herein Product Protected Under US



line·rite™

Simple Lines

듀폰 테플론 하이 글로시 표면의 "pre-printed-line" 화이트보드입니다.
실선 line은 1인치 (2.5cm) 간격, "light gray" 칼라로 "easy-to-write" 입니다.
"wallcoverings digital-pre-printing" 은 월토커 "특허" 기술 입니다.

Teflon® is registered trademark of DuPont
Walltalker dry erase products meet California Indoor Air Quality Specification 01350
Herein Product Protected Under US



just·rite® harmony

Music Staff

듀폰 테플론 소재, 미디움 글로시 표면의 "오선지" 화이트보드입니다.
실선은 1인치 (2.5cm) 간격, 5-line 간격은 4인치 (10cm), "gray" 칼라 입니다.
"wallcoverings digital-pre-printing" 은 월토커 "특허" 기술 입니다.

Teflon® is registered trademark of DuPont
Walltalker dry erase products meet California Indoor Air Quality Specification 01350
Herein Product Protected Under US



추천 약세사리

Optimum Walltalker Accessory

월토커 제품의 최적 사용을 위해서 월토커 약세사리 세트를 추천합니다.
월토커 약세사리를 사용하면 소모품비가 절약되며, 유지관리가 최소화 됩니다.
특히 수성 마카펜을 사용하면 별도의 유지관리가 필요 없습니다.



드라이 마카펜



수성 마카펜



극세사 지우개



크린 메이트



크리너



Rear projection screen

Insta - RP

Optical Rear Screen

옵티컬 후면형 프로젝션 스크린으로 "cost-save" 제품입니다.

기업체, 학교, 상업용(상점 윈도우, 레스토랑, 클럽 등) 광고, 홍보에 효과적입니다

- "self-adhesive" 뒷면, 옵티컬 후면 프로젝션 스크린
- 게인은 (2.2)로 전동 스크린의 2배 밝기, 시야각은 180도
- 글래스위에 간편 설치되며, 프리사이즈 크기, 유지관리가 쉽다.

Insta-RP 스크린 크기별 정리

모델	크기(인치)	비율	높이	길이
RP74V	74"	4:3	1125	1500
RP99V	100"	4:3	1500	2100
RP68H	70"	16:9	900	1500
RP100H	100"	16:9	1500	2200
RP120H	120"	16:9	1500	2660
RP70X	70"	16:10	938	1500
RP100X	100"	16:10	1500	2210
RP112X	112"	16:10	1500	2400
RP150C	150"	2.35:1	1500	3520



Writable High Gain Screen

Starbright™

Writable Hig Gain Screen

매트화이트 스크린 대비 "4X 밝은 이미지", 화이트보드 겸용 제품입니다.

일반 환경 조건에서도 밝은 이미지와 선명도를 표현 합니다.

- 용도: 스크린 화이트보드 겸용
- 게인(gain): 4.0 일반 환경에서 선명한 화질
- 시야각: 120도 (좌우 60°)
- 특징: 스크린&자석&화이트보드
- 크기: 스크린(60", 80", 90")



consider the possibilities



www.novatec21.co.kr

Install Manual

Instruction Wallcovering Install


- 뒷면이 부직포로 도배용품을 사용하여 도배방식으로 시공한다.
- 표면 밀착식으로 시공 하기 때문에 "석고면 조인트부" 평활도가 중요하다.
- 수평방향 설치를 추천하며, 조인트부는 "더블 커팅" 한다.



center: 1500mm



double cutting



top

center

bottom

2-조인트부



top: 더블커팅



bottom: 950 ± 30mm

※ glass, steel 면 위에 시공시 "월토커 전용 접착제" 사용



product comparison table

product name	color	use	surface gloss	backing	width	weight	product code
nu-vu-rite™	matte white	projection screen dry erase writing	minimal	non-woven	1520mm	0.61 kg/m ²	NV60
erase-rite®	choose from 4 decorative colors	projection screen dry erase writing	low	non-woven	1520mm	0.61 kg/m ²	ER60
mag-rite®II	white	dry erase writing (attracts magnets)	moderate	scrim	1220mm	1.33 kg/m ²	M248
mag-rite®II grid	white	dry erase writing (attracts magnets & includes grid)	moderate	scrim	1220mm	1.33 kg/m ²	M2GR
mag-line™	white	dry erase writing (attracts magnets)	high	scrim	1220mm	1.27 kg/m ²	ML48
just-rite®	white	dry erase writing	moderate	scrim	1520mm 1220mm	0.71 kg/m ² 0.78 kg/m ²	JR60 JR48
just-rite® grid	white	dry erase writing (includes grid)	moderate	scrim	1220mm	0.78 kg/m ²	JRGR
just-rite® harmony	white	dry erase writing (includes line)	moderate	scrim	1220mm	0.712 kg/m ²	JRHR
ez-rite®	white	dry erase writing	high	non-woven or adhesive	1270mm	0.37 kg/m ²	ZP50 ZA50
koro-rite®	choose from 6 decorative colors	dry erase writing	moderate	non-woven	1520mm 1370mm	0.61 kg/m ² 0.57 kg/m ²	KR60 KR54
learn-rite™	white	dry erase writing (includes line)	high	non-woven	1270mm	0.37 kg/m ²	L150
line-rite™	white	dry erase writing (includes line)	high	non-woven	1270mm	0.37 kg/m ²	L250

Note: All widths are nominal and all weights are approximate. All adhesive-backed product weights do not include release liner. Nu-vu-rite is primarily a projection screen surface. For best results, we recommend rare or Neodymium magnets for mag-rite II white, mag-rite II grid, and mag-line. For just-rite grid, due to alignment of grid, full wall installations not recommended. Walltalkers dry erase wallcoverings nuvurite, eraserite, ezrite, kororite, kororite metallics, learnrite, and linerite meet California Indoor Air Quality Specification 01350.



consider the possibilities



www.novatec21.co.kr
call: 02.573.2450

general

mag•rite® II white - For dry erase marker surfaces with the ability to accept magnets specify **walltalkers mag•rite II white**.

mag•rite® II grid - For dry erase marker surfaces with lightly printed grid lines and the ability to attract magnets specify **walltalkers mag•rite II white**.

just•rite® - For dry erase marker surfaces specify **walltalkers just•rite**.

just•rite® grid - For dry erase marker surfaces with lightly printed grid lines specify **walltalkers just•rite grid**.

just•rite® harmony - For dry erase marker surfaces with staff print specify **walltalkers just•rite harmony**.

ez•rite® - For a more economical, high-gloss dry erase marker surface specify **walltalkers ez•rite**.

koro•rite® - For dry erase marker surfaces requiring decorative colors specify **walltalkers koro•rite** or **koro•rite metallics**.

learn•rite™ - For dry erase marker surfaces with lightly printed solid and dashed lines specify **walltalkers learn•rite**.

line•rite™ - For dry erase marker surfaces with lightly printed lines specify **walltalkers line•rite**.

mag•line™ - For dry erase marker surfaces with lightly printed lines and the ability to accept magnets specify **walltalkers mag•line**.

nu•vu•rite™ - All projection screen surfaces shall be specified as **walltalkers**. Accepts projection images and dry erase markers, even in ambient lighting. Surface shall have a bi-directional lenticular pattern with approximately 40,000 reflective surfaces per square inch.

erase•rite® - A projection screen that can be written on shall be specified as **walltalkers erase•rite**.

product

All surfaces shall be warranted for 3 years not to crack, chip, check, or peel; resist staining and yellowing; and show no appreciable fade when used with specified dry erase markers and properly cleaned and maintained with specified cleaning products. Additional warranty information available from **walltalkers** upon request.

Furnish one walltalkers starter kit (RVSK) for each room.

mag•rite® II white - Specify scrim backing (M248)- Ferrous powder vinyl bonded with a white vinyl and capped with a dry erase film. 48 inches wide by any length.

mag•rite® II grid - Specify scrim backing (M2GR) - Ferrous powder vinyl printed with light grid lines and capped with a dry erase film. 48 inches wide by any length.

just•rite® - Specify scrim backing (JR48 or 60) - Vinyl capped with a dry erase film. 48 or 60 inches wide by any length.

just•rite® grid - Specify scrim backing (JRGR) - Vinyl printed with light grid lines and capped with a dry erase film. 48 inches wide by any length.

just•rite® harmony - Specify scrim backing (JRHR) - Vinyl printed with light staff print and capped with a dry erase film. 48 inches wide by any length.

nu•vu•rite™ - Specify non-woven (NV60) backing - Vinyl capped and bonded with a dry erase non-glare film and heat embossed with a bi-directional lenticular pattern. 60 inches wide by any length.

erase•rite® - Specify non-woven (ER60) or adhesive (EA50) backing - Vinyl capped and bonded with a dry erase non-glare film. 60 inches wide by any length.

ez•rite® - Specify non-woven backing (ZP50) or adhesive (ZA50) backing - Vinyl capped with a glossy dry erase film. 50 inches wide by any length.

installation

koro•rite® - Specify non-woven backing (KR60 - color code) - Vinyl capped with a dry erase film. 60 inches wide by any length.

koro•rite® metallics - Specify non-woven backing (KR54 - color code) - Vinyl capped with a dry erase film. 54 inches wide by any length.

learn•rite™ - Specify non-woven backing (L150) - Vinyl printed with light solid and dashed lines and capped with a dry erase film. 50 inches wide by any length.

line•rite™ - Specify non-woven backing (L250) - Vinyl printed with light lines and capped with a dry erase film. 50 inches wide by any length.

mag•line™ - Specify scrim backing (ML48) - Ferrous powder vinyl bonded with vinyl printed with light lines and capped with a dry erase film. 48 inches wide by any length.

Walltalkers roll vinyl can be applied to any clean, smooth, sealed surface. **Wallpaper-** backed **walltalkers** can be applied using a heavy-duty wallpaper adhesive.

Pressure-sensitive adhesive-backed material can be applied to non-porous surfaces (i.e. painted steel) by wetting the surface, peeling the backing, and sticking the surface directly to the area to be covered.

Horizontal seams are recommended when using the **walltalkers** roll vinyl, although vertical seams can be used. For virtually invisible seams, all seams must be double-cut and all vinyl should be railroaded (reverse roll direction) to ensure color matching.

Contact **walltalkers** for more detailed instructions. All **walltalkers** should be washed with an ammonia- or alcohol-based cleaner or mild soap and rinsed thoroughly with water prior to using.

Walltalkers accessories are recommended for all surfaces.

1 the market leader

Certain products herein protected under U.S. Patent #6,251,500. © and TM are registered trademarks and trademarks of RJF International Corporation. Novatec Incorporation reserves the right to make design changes or to withdraw any design without notice.
©2012 Novatec Incorporation. Printed in the Korea

(주) 노바텍 인코퍼레이션

walltalkers

월토커 매직 스크린

www.walltalker.co.kr

call: 02.573.2450

novatec21@naver.com

consider the possibilities

W

7075WBR5061