

3875 Embassy Parkway, Suite 110
 Fairlawn, OH 44333
 330-678-7600 Phone
 330-668-7701 Fax

Declaration of Conformity

Koroseal Wall Protection Systems
 716 Muncy Industrial Park
 Muncy, PA 17756

Trading As: **walltalkers** nu-vu-rite, erase-rite®


In accordance with Directive 89/106 EEC, The Construction Products Directive, do hereby declare that the CE marked products specified in Table 1 conform to the product performance requirements of annex ZA in the product standard.

EN 15102 : 2007 Decorative Wallcoverings - Roll and Panel Form

Table 1

Construction Product Description:	Classification Report:	Reaction to Fire:
Nonwoven backed dry-erase presentation vinyl wallcovering: 410 gm/m ² to 525 gm/m ²	WFRGENT Reaction to fire classification Nr 14679E	B s2 d0
Other requirements:	Release of Heavy metals and specific elements - Pass	
Release of Formaldehyde - pass (<120mg/Kg)	Heavy Metal	Specification
Release of Vinyl Chloride Monomer - Pass (<0.2mg/Kg)	Antimony	No upper limit
Sound Absorption - No performance determined	Arsenic	<25 mg/Kg
Thermal Resistance - No performance determined	Barium	<500mg/Kg
	Cadmium	<25 mg/Kg
	Chromium	<60 mg/Kg
	Mercury	<20 mg/Kg
	Lead	<90 mg/Kg
	Selenium	<165mg/Kg
	Test Report: TUV Rheiland Report: 9904R - 10.28608	
Intended Use: Hanging on to internal walls, or partitions, by means of adhesive to create a dry-erase write on presentation surface.		
Notified Certification Body: Laboratoire national de metrologie et d'essais Paris, France 75724		
EC Reference Number: 0459 Manufacturing Site Reference: 0071-CPD-20376		

Signed:



Position: Quality Manager

Name: Ekrem Eksi

Date: April 3, 2013

No1.Projectable dry-erase surfaces with Teflon® Film



월토커 매직스크린